

Fig. 1




Fig. 2




Fig. 3

2/34




Fig. 4




Fig. 5

3/34




Fig. 6A




Fig. 6B




Fig. 7A




Fig. 7B

4/34




Fig. 8




Fig. 9

5/34




Fig. 10

6/34




Fig. 11




Fig. 12

7/34




Fig. 13

8/34




Fig. 14

9/34




Fig. 15A




Fig. 15B

10/34



Fig. 16

11/34




Fig. 17

12/34




Fig. 18



Fig. 19

13/34




Fig. 20

14/34




Fig. 21

15/34




Fig. 22

16/34




Fig. 23

17/34




Fig. 24

18/34



Fig. 25

19/34




Fig. 26

21/34




Fig. 28

22/34




Fig. 29




Fig. 30A




Fig. 30B




Fig. 30C

24/34




Fig. 31




Fig. 32

25/34




Fig. 33A




Fig. 33C

26/34







Fig. 33B



AS-GROWN
Fig. 34A



CUT AND POLISHED
Fig. 34B



CROSSED-POLARIZED LIGHT
Fig. 34C

27/34




Fig. 34D




Fig. 35

28/34




Fig. 36A




























Fig. 36B

29/34

NBT- γ BT-3NBZ

mol%Ba	4%	6%	8%	10%	12%	14%
Phase	FE _R	FFT _R (PE \rightarrow FE)	PE _T	PE _T	FFT _T (PE \rightarrow FE)	FE _T
T _m -0.5 Hz (°C)	119	95	87	90	93	128
Bipolar Field						
Max Bipolar Strain	0.17% at 49 kV/cm	0.28% at 60 kV/cm	0.15% at 49 kV/cm	0.24% at 53 kV/cm	0.26% at 55 kV/cm	0.28% at 49 kV/cm
Unipolar Field						
Max Unipolar Strain	0.08% at 47 kV/cm	0.31% at 73 kV/cm	0.13% at 73 kV/cm	0.21% at 49 kV/cm	0.25% at 53 kV/cm	0.14% at 45 kV/cm
d ₃₃ (pC/N)	170	190 (high field)	---	---	315 (low field)	310
Max d ₃₃ (PE actuation)	---	450 (low field)	500	725	460 (low field)	---
Q ₁₁ [C ² /m ⁴]	---	1.8 (low field)	1.4	1.9	1.8 (low field)	---
Polarization	E _c = 31 kV/cm 					E _c = 14.5 kV/cm 
P _{max} (C/cm ²)	P _{max} = 37; P _r = 26	36	33	36	41	P _{max} = 49; P _r = 21
Current						

MPB

Fig. 37

30/34




Fig. 38

31/34




Fig. 39

32/34




Fig. 40A




Fig. 40B

33/34




Fig. 41

34/34




Fig. 42